ELSEVIER

Biomembranes

Vol. 1370, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Adcock, C., see Ranatunga, K.M. (1370) 1
Addona, G.H., Sandermann Jr, H., Kloczewiak, M.A., Husain, S.S. and Miller, K.W.
Where does cholesterol act during activation of the nicotinic acetylcholine receptor? (1370) 299
Anderson, B.D., see Xiang, T.-X. (1370) 64
Ando, S., see Iwamoto, M. (1370) 184
Awazu, S., see Ohnishi, T. (1370) 192

Babudri, F., see Colella, M. (1370) 273
Bai, L., see Pajor, A.M. (1370) 98
Barenholz, Y., see Hirsch-Lerner, D. (1370) 17
Bayley, H., see Schuster, B. (1370) 280
Berg, K., Maziere, J.-C., Geze, M. and Santus, R.
Verapamil enhances the uptake and the photocytotoxic effect of PII, but not that of tetra(4-sulfonatophenyl)porphine (1370) 317
Blake, M.S., see Song, J. (1370) 289
Bondar, O.P. and Rowe, E.S.
Role of cholesterol in the modulation of interdigitation in phosphatidylethanols (1370) 207
Braha, O., see Schuster, B. (1370) 280
Britsch, S., see Drews, G. (1370) 8
Busch, G.L., see Drews, G. (1370) 8

Calderón, R.O., see Oliveira, R.G. (1370) 127
Colella, M., Lobasso, S., Babudri, F. and Corcelli, A.
Palmitic acid is associated with halorhodopsin as a free fatty acid. Radiolabeling of halorhodopsin with ^{3}H-palmitic acid and chemical analysis of the reaction products of purified halorhodopsin with thiols and $NaBH_4$ (1370) 273
Corcelli, A., see Colella, M. (1370) 273
Crowe, J.H., see Oliver, A.E. (1370) 87
Crowe, L.M., see Oliver, A.E. (1370) 87

Dathe, M., Kaduk, C., Tachikawa, E., Melzig, M.F., Wenschuh, H. and Bienert, M.
Proline at position 14 of alamethicin is essential for hemolytic activity, catecholamine secretion from chromaffin cells and enhanced metabolic activity in endothelial cells (1370) 175
Desmeules, P., see Grenier, S. (1370) 199
Dollahon, N.R., see Selinsky, B.S. (1370) 218
Drews, G., Zempel, G., Krippeit-Drews, P., Britsch, S., Busch, G.L., Kaba, N.K. and Lang, F.
Ion channels involved in insulin release are activated by osmotic swelling of pancreatic B-cells (1370) 8

Ebel, H., see Jüttner, R. (1370) 51
ElKambergy, H.M., see Račay, P. (1370) 119
Enomoto, H., Unemoto, T., Nishibuchi, M., Padan, E. and Nakamura, T.
Topological study of *Vibrio alginolyticus* NhaB Na^+/H^+ antiporter using gene fusions in *Escherichia coli* cells (1370) 77

Finn, D.M. and Ohlendieck, K.
Oligomerization of β-dystroglycan in rabbit diaphragm and brain as revealed by chemical crosslinking (1370) 325
Flonta, M.L., De Beir-Simaels, J., Mesotten, D. and Van Driessche, W.
Cu^{2+} reveals different binding sites of amiloride and CDPC on the apical Na channel of frog skin (1370) 169
Frederik, P.M., see Škalko, N. (1370) 151
Fukuda, M., see Iwamoto, M. (1370) 184

Gallois, L., Fiallo, M. and Garnier-Suillerot, A.
Comparison of the interaction of doxorubicin, daunorubicin, idarubicin and idarubicinol with large unilamellar vesicles. Circular dichroism study (1370) 31
Geze, M., see Berg, K. (1370) 317
Godtel, R., see Konigsberg, P.J. (1370) 243
Gorbenko, G.P.
Bromothymol blue as a probe for structural changes of model membranes induced by hemoglobin (1370) 107
Grenier, S., Desmeules, P., Dutta, A.K., Yamazaki, A. and Salesse, C.
Determination of the depth of penetration of the α subunit of retinal G protein in membranes: A spectroscopic study (1370) 199

Higashi, S., see Ohnishi, T. (1370) 192
Hincha, D.K., see Oliver, A.E. (1370) 87
Hirsch-Lerner, D. and Barenholz, Y.
Probing DNA–cationic lipid interactions with the fluorophore trimethylammonium diphenyl-hexatriene (TMADPH) (1370) 17

Imperial, J., Hadi, M. and Amy, N.K.
Molybdate binding by ModA, the periplasmic component of the *Escherichia coli mod* molybdate transport system (1370) 337
Iseki, K., Yonemura, K., Kikuchi, T., Naasani, I., Sugawara, M., Kobayashi, M., Kohri, N. and Miyazaki, K.
Purification by ceftibuten-affinity chromatography and the functional reconstitution of oligopeptide transporter(s) in rat intestinal brush-border membrane (1370) 161
Iwamoto, M., Morita, I., Fukuda, M., Murota, S.-i., Ando, S. and Ohno-Iwashita, Y.
Erratum to "A biotinylated perfringolysin O derivative: a new probe for detection of cell surface cholesterol". [Biochim. Biophys. Acta 1327 (1997) 222–230] (1370) 184

Jüttner, R. and Ebel, H.
Characterization of Mg^{2+} transport in brush border membrane vesicles of rabbit ileum studied with mag-fura-2 (1370) 51

Kaduk, C., see Dathe, M. (1370) 175
Kato, M., see Sugawara, M. (1370) 252
Keough, K.M.W., see Taneva, S.G. (1370) 138
Kerr, I.D., see Ranatunga, K.M. (1370) 1
Kikuchi, T., see Iseki, K. (1370) 161

ELSEVIER

Biomembranes

Vol. 1370, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Adcock, C., see Ranatunga, K.M. (1370) 1
Addona, G.H., Sandermann Jr, H., Kloczewiak, M.A., Husain, S.S. and Miller, K.W.
Where does cholesterol act during activation of the nicotinic acetylcholine receptor? (1370) 299
Anderson, B.D., see Xiang, T.-X. (1370) 64
Ando, S., see Iwamoto, M. (1370) 184
Awazu, S., see Ohnishi, T. (1370) 192

Babudri, F., see Colella, M. (1370) 273
Bai, L., see Pajor, A.M. (1370) 98
Barenholz, Y., see Hirsch-Lerner, D. (1370) 17
Bayley, H., see Schuster, B. (1370) 280
Berg, K., Maziere, J.-C., Geze, M. and Santus, R.
Verapamil enhances the uptake and the photocytotoxic effect of PII, but not that of tetra(4-sulfonatophenyl)porphine (1370) 317
Blake, M.S., see Song, J. (1370) 289
Bondar, O.P. and Rowe, E.S.
Role of cholesterol in the modulation of interdigitation in phosphatidylethanols (1370) 207
Braha, O., see Schuster, B. (1370) 280
Britsch, S., see Drews, G. (1370) 8
Busch, G.L., see Drews, G. (1370) 8

Calderón, R.O., see Oliveira, R.G. (1370) 127
Colella, M., Lobasso, S., Babudri, F. and Corcelli, A.
Palmitic acid is associated with halorhodopsin as a free fatty acid. Radiolabeling of halorhodopsin with ^{3}H-palmitic acid and chemical analysis of the reaction products of purified halorhodopsin with thiols and $NaBH_4$ (1370) 273
Corcelli, A., see Colella, M. (1370) 273
Crowe, J.H., see Oliver, A.E. (1370) 87
Crowe, L.M., see Oliver, A.E. (1370) 87

Dathe, M., Kaduk, C., Tachikawa, E., Melzig, M.F., Wenschuh, H. and Bienert, M.
Proline at position 14 of alamethicin is essential for hemolytic activity, catecholamine secretion from chromaffin cells and enhanced metabolic activity in endothelial cells (1370) 175
Desmeules, P., see Grenier, S. (1370) 199
Dollahon, N.R., see Selinsky, B.S. (1370) 218
Drews, G., Zempel, G., Krippeit-Drews, P., Britsch, S., Busch, G.L., Kaba, N.K. and Lang, F.
Ion channels involved in insulin release are activated by osmotic swelling of pancreatic B-cells (1370) 8

Ebel, H., see Jüttner, R. (1370) 51
ElKambergy, H.M., see Račay, P. (1370) 119
Enomoto, H., Unemoto, T., Nishibuchi, M., Padan, E. and Nakamura, T.
Topological study of *Vibrio alginolyticus* NhaB Na^+/H^+ antiporter using gene fusions in *Escherichia coli* cells (1370) 77

Finn, D.M. and Ohlendieck, K.
Oligomerization of β-dystroglycan in rabbit diaphragm and brain as revealed by chemical crosslinking (1370) 325
Flonta, M.L., De Beir-Simaels, J., Mesotten, D. and Van Driessche, W.
Cu^{2+} reveals different binding sites of amiloride and CDPC on the apical Na channel of frog skin (1370) 169
Frederik, P.M., see Škalko, N. (1370) 151
Fukuda, M., see Iwamoto, M. (1370) 184

Gallois, L., Fiallo, M. and Garnier-Suillerot, A.
Comparison of the interaction of doxorubicin, daunorubicin, idarubicin and idarubicinol with large unilamellar vesicles. Circular dichroism study (1370) 31
Geze, M., see Berg, K. (1370) 317
Godtel, R., see Konigsberg, P.J. (1370) 243
Gorbenko, G.P.
Bromothymol blue as a probe for structural changes of model membranes induced by hemoglobin (1370) 107
Grenier, S., Desmeules, P., Dutta, A.K., Yamazaki, A. and Salesse, C.
Determination of the depth of penetration of the α subunit of retinal G protein in membranes: A spectroscopic study (1370) 199

Higashi, S., see Ohnishi, T. (1370) 192
Hincha, D.K., see Oliver, A.E. (1370) 87
Hirsch-Lerner, D. and Barenholz, Y.
Probing DNA–cationic lipid interactions with the fluorophore trimethylammonium diphenyl-hexatriene (TMADPH) (1370) 17

Imperial, J., Hadi, M. and Amy, N.K.
Molybdate binding by ModA, the periplasmic component of the *Escherichia coli mod* molybdate transport system (1370) 337
Iseki, K., Yonemura, K., Kikuchi, T., Naasani, I., Sugawara, M., Kobayashi, M., Kohri, N. and Miyazaki, K.
Purification by ceftibuten-affinity chromatography and the functional reconstitution of oligopeptide transporter(s) in rat intestinal brush-border membrane (1370) 161
Iwamoto, M., Morita, I., Fukuda, M., Murota, S.-i., Ando, S. and Ohno-Iwashita, Y.
Erratum to "A biotinylated perfringolysin O derivative: a new probe for detection of cell surface cholesterol". [Biochim. Biophys. Acta 1327 (1997) 222–230] (1370) 184

Jüttner, R. and Ebel, H.
Characterization of Mg^{2+} transport in brush border membrane vesicles of rabbit ileum studied with mag-fura-2 (1370) 51

Kaduk, C., see Dathe, M. (1370) 175
Kato, M., see Sugawara, M. (1370) 252
Keough, K.M.W., see Taneva, S.G. (1370) 138
Kerr, I.D., see Ranatunga, K.M. (1370) 1
Kikuchi, T., see Iseki, K. (1370) 161

Kissel, T., see Konigsberg, P.J. (1370) 243
Kiyosue, T., Abe, H., Yamaguchi-Shinozaki, K. and Shinozaki, K.
ERD6, a cDNA clone for an early dehydration-induced gene of *Arabidopsis*, encodes a putative sugar transporter (1370) 187
Kobayashi, M., see Iseki, K. (1370) 161
Kobayashi, M., see Sugawara, M. (1370) 252
Kohri, N., see Iseki, K. (1370) 161
Kombrabail, M.H., see Prabhananda, B.S. (1370) 41
Konigsberg, P.J., Godtel, R., Kissel, T. and Richer, L.L.
The development of IL-2 conjugated liposomes for therapeutic purposes (1370) 243

Lang, F., see Drews, G. (1370) 8
Lehotský, J., see Račay, P. (1370) 119
Lobasso, S., see Colella, M. (1370) 273

Maggio, B., see Oliveira, R.G. (1370) 127
Markovich, D., see Pajor, A.M. (1370) 98
Maziere, J.-C., see Berg, K. (1370) 317
Melzig, M.F., see Dathe, M. (1370) 175
Mesotten, D., see Flonta, M.L. (1370) 169
Mézešová, V., see Račay, P. (1370) 119
Miller, K.W., see Addona, G.H. (1370) 299
Minetti, C.A.S.A., see Song, J. (1370) 289
Miyazaki, K., see Iseki, K. (1370) 161
Miyazaki, K., see Sugawara, M. (1370) 252
Miyazaki, M., Yoshida, S., Sakai, K., Zhang, Q.Z. and Takeshita, M.
Quantification of concanavalin A binding to rat brain microsomal membranes detected by fluorescence polarization technique (1370) 235
Monteiro, G.A. and Sá-Correia, I.
In vivo activation of yeast plasma membrane H^+-ATPase by ethanol: effect on the kinetic parameters and involvement of the carboxyl-terminus regulatory domain (1370) 310
Murota, S.-i., see Iwamoto, M. (1370) 184

Naasani, I., see Iseki, K. (1370) 161
Nakamura, T., see Enomoto, H. (1370) 77
Nishibuchi, M., see Enomoto, H. (1370) 77

Ohlendieck, K., see Finn, D.M. (1370) 325
Ohnishi, T., Higashi, S., Mizuma, T. and Awazu, S.
Transport mechanisms of a glycoside, *p*-nitrophenyl-β-D-glucopyranoside, across rat small intestinal brush-border membranes (1370) 192
Oliveira, R.G., Calderón, R.O. and Maggio, B.
Surface behavior of myelin monolayers (1370) 127
Oliver, A.E., Hincha, D.K., Crowe, L.M. and Crowe, J.H.
Interactions of arbutin with dry and hydrated bilayers (1370) 87
Oussoren, C., Velinova, M., Scherphof, G., Van der Want, J.J., Van Rooijen, N. and Storm, G.
Lymphatic uptake and biodistribution of liposomes after subcutaneous injection. IV. Fate of liposomes in regional lymph nodes (1370) 259

Pajor, A.M., Sun, N., Bai, L., Markovich, D. and Sule, P.
The substrate recognition domain in the Na^+/dicarboxylate and Na^+/sulfate cotransporters is located in the carboxy-terminal portion of the protein (1370) 98
Prabhananda, B.S. and Kombrabail, M.H.
Relative magnitudes of the rate constants associated with monensin-mediated H^+, Na^+ and K^+ translocations across phospholipid vesicular membranes (1370) 41

Qteishat, A.W.A., see Račay, P. (1370) 119

Račay, P., Qteishat, A.W.A., ElKambergy, H.M., Mézešová, V. and Lehotský, J.
Fe^{2+}-induced inhibition of gerbil forebrain microsomal Ca^{2+}-ATPase: Effect of stobadine, glutathione and combination of both antioxidants (1370) 119
Ranatunga, K.M., Kerr, I.D., Adcock, C., Smith, G.R. and Sansom, M.S.P.
Protein–water–ion interactions in a model of the pore domain of a potassium channel: a simulation study (1370) 1
Rowe, E.S., see Bondar, O.P. (1370) 207

Sá-Correia, I., see Monteiro, G.A. (1370) 310
Sakai, K., see Miyazaki, M. (1370) 235
Salesse, C., see Grenier, S. (1370) 199
Sandermann Jr, H., see Addona, G.H. (1370) 299
Sansom, M.S.P., see Ranatunga, K.M. (1370) 1
Santus, R., see Berg, K. (1370) 317
Scherphof, G., see Oussoren, C. (1370) 259
Schuster, B., Pum, D., Braha, O., Bayley, H. and Sleytr, U.B.
Self-assembled α-hemolysin pores in an S-layer-supported lipid bilayer (1370) 280
Selinsky, B.S., Zhou, Z., Fojtik, K.G., Jones, S.R., Dollahon, N.R. and Shinnar, A.E.
The aminosterol antibiotic squalamine permeabilizes large unilamellar phospholipid vesicles (1370) 218
Shinozaki, K., see Kiyosue, T. (1370) 187
Škalko, N., Bouwstra, J., Spies, F., Stuart, M., Frederik, P.M. and Gregoriadis, G.
Morphological observations on liposomes bearing covalently bound protein: Studies with freeze-fracture and cryo electron microscopy and small angle X-ray scattering techniques (1370) 151
Smith, G.R., see Ranatunga, K.M. (1370) 1
Song, J., Minetti, C.A.S.A., Blake, M.S. and Colombini, M.
Successful recovery of the normal electrophysiological properties of PorB (Class 3) porin from *Neisseria meningitidis* after expression in *Escherichia coli* and renaturation (1370) 289
Stewart, J., see Taneva, S.G. (1370) 138
Storm, G., see Oussoren, C. (1370) 259
Stuart, M., see Škalko, N. (1370) 151
Sugawara, M., Kato, M., Kobayashi, M., Iseki, K. and Miyazaki, K.
Mechanism of the inhibitory effect of imipramine on the Na^+-dependent transport of L-glutamic acid in rat intestinal brush-border membrane (1370) 252
Sule, P., see Pajor, A.M. (1370) 98
Sun, N., see Pajor, A.M. (1370) 98

Tachikawa, E., see Dathe, M. (1370) 175
Takeshita, M., see Miyazaki, M. (1370) 235
Taneva, S.G., Stewart, J., Taylor, L. and Keough, K.M.W.
Method of purification affects some interfacial properties of pulmonary surfactant proteins B and C and their mixtures with dipalmitoylphosphatidylcholine (1370) 138

Unemoto, T., see Enomoto, H. (1370) 77

Van der Want, J.J., see Oussoren, C. (1370) 259
Van Driessche, W., see Flonta, M.L. (1370) 169
Van Rooijen, N., see Oussoren, C. (1370) 259
Velinova, M., see Oussoren, C. (1370) 259

Wenschuh, H., see Dathe, M. (1370) 175

Xiang, T.-X. and Anderson, B.D.
Phase structures of binary lipid bilayers as revealed by permeability of small molecules (1370) 64

Yamazaki, A., see Grenier, S. (1370) 199
Yonemura, K., see Iseki, K. (1370) 161
Yoshida, S., see Miyazaki, M. (1370) 235

Zempel, G., see Drews, G. (1370) 8
Zhang, Q.Z., see Miyazaki, M. (1370) 235
Zhou, Z., see Selinsky, B.S. (1370) 218